

Raysun Lyra

Passenger Car Motor Oil

Raysun Lyra series are premium quality passenger car motor oils developed for modern, high-output, multi valve, turbocharged & supercharged gasoline powered passenger cars and diesel powered light duty vehicles. While all .the grades are developed to exceed the performance requirements of API (American Petroleum Institute) SL

Advantages

- Superior dispersants provide excellent control over soot induced oil thickening
- Better thermo-oxidative stability minimizes deposits & sludge build-up facilitating extended oil life
 - Active cleaning agents provide engine cleanliness •
 - Good anti wear technology minimizes engine wear and thereby reduces maintenance cost
 - Special rust inhibitors retard the formation of rust & corrosion in critical engine parts

Applications

Recommended for high performance, multi valve, turbocharged & supercharged gasoline and diesel powered

.passenger cars and light duty vehicles requiring API SL /CF-4 quality oils

Spicification

API SL /CF-4



Raysun Lyra

4

SAE Viscosity Grades			ASTM Method	Specification
20W-50	15W-40	10W-40		
0.892	0.876	0.864	D 1298	Density @ 15°C, kg/l
18.30	14.3	14.30	D 445	Viscosity @ 100 °C, cSt.
124	137	152	D 2270	Viscosity Index
242	236	232	D 92	Flash Point, °C
-27	-36	-39	D 97	Pour Point, °C
7.3	7.3	7.3	D 2896	TBN, mg KOH/g

Note: "All of the results are typical and the results of each batch are presented in the COA sheet."